



Photo : Euromix 406/6 with a 16,5m fixed loading conveyor

KVM Euromix 400 and Euromix 700


Is the setting the pace for sand and gravel dosing equipment according to the newest EURO norms. EN 12620, EN 13043, EN 13055-1, EN 13055-2, EN 13139, EN 13242, EN 13383-1, EN 13450, TL SoB-StB 04, TL Gestein StB 04

Today gravel mixtures is not something any gravel company can mix in without have the right equipment. EU today has printed clear specifications, what gravel mixtures for both road foundation and concrete mixtures must follow. To day the sieve line is not only to follow maximum and minimum stone size limits. The new EN standard clearly specifies that the average blends, must only divert very limited from the medium sieve line. It means that all the laboratory measures taken from the mixtures, is allowed a very little variation.

The KVM Euromix Gravel dosing series is meeting the present and coming standard within EN standards. Also domestic standards like the German TL SoB-StB 04 (foundations layers for roads without binders) TL Gestein StB 04 (foundations layers)

So the question is will your company carry the risk, not following the rules of today ?

WinKies laboratory software 2008



Dosing belt feeders




Control system



Loading conveyor





Type	A	B	C	D	E	F	Weight [Tonne]
Euromix 400	3,5m	3,4m	3,7m	3,0m	4,05m	2,5m	N x 2,5 + 0,5
Euromix 700	4,2m	4,0m	4,2m	3,0m	4,6m	2,2m	N x 5,2 + 0,5

Type	Loading width	Hopper volume	Belt feeder	Collecting conveyor	Plant capacity
Euromix 400	3,5 m	12 m ³	650	800	Max. 400 tph
Euromix 700	4,2 m	21,5 m ³	800	1000	Max. 700 tph

YOUR RELIABLE PARTNER



Euromix 400 - Euromix 700

The future way to gravel mixtures

Meets all European standards
within construction work for :

Type :	Euromix 400	Euromix 700
Coarse grate	△	△
Site extension 500 mm	△	△
Extra vibrators on more silos	△	△
Silo Half full – signal warning	△	△
Water addition	△	△
Front plates to build slope	△	△

Computer control system	Euromix 400	Euromix 700
Control on el-desk	○	○
Winkies + Card writer	△	△
Card reader on el-desk	△	△
Control on el-desk on separate holder	△	△
Colour print on cards	△	△

Loading conveyor	16,5m / 18° x 4,5 free	20m / 18° x 6,0 free	24m / 18° x 7,5 free
Option for turnable conveyor	○	△	△
Electric transmission for turning	△	△	△
Kaskade mixer unit	△	△	△
Weighing system on conveyor	△	△	△

Standard : ○ Option : △

Dealer

KVM INTERNATIONAL A/S
INDUSTRIVEJ 24
DK-8620 KJELLERUP
Phone : +45 87 702 700
Fax : +45 87 702 701
www.KVM.com

INDIVIDUAL SOLUTIONS OPTIMISE YOUR COMPANYS POSSIBILITIES IN THE FUTURE



- Road construction
- Concrete industries
- Railroad construction
- Airport runway construction

• GRAVEL MIXING PLANT